The Vaccine Adverse Event Reporting System (VAERS) Results

Onset Interval	Age	Event Category	VAERS ID	Adverse Event Description
0 days	< 6 months	Death	025530-1	Pt had low grade fever & fussiness within 12 hrs /p vaccination, slept well that evenig. Following moring infant was fine; taken to babysitter and was placed in crib for nap. Infant was found dead ar 1:00 pm. Autospy report list SIDS
0 days	< 6 months	Death	025535-1	normal 4 moth old infant received DTP/OPV in office at on 28Mar90, put to bed at 10:00pm; found dead at 10:30 pm.
0 days	< 6 months	Death	025703-1	Pt vaccinated with DTP/OPV (1st set) 6 hrs ltr 20 mins and a feeding found dead. Autopsy report SIDS
0 days	< 6 months	Death	<u>025912-1</u>	elevated temperature of 103+, projectile vomitting, continued high pitched crying. Medical examination by treating physician & released.
0 days	< 6 months	Death	026287-1	CDC Reports: 2 mo infant received DTP/OPV on 11DEC89 and died 15DEC89.
0 days	< 6 months	Death	026288-1	CDC Reports: 2 mo infant received DTP/OPV on 8NOV89 and 21NOV89.
0 days	< 6 months	Death	026291-1	CDC reports 4 mo infant received DTP/OPV on 8NOV89 and died 4 hrs later.
0 days	< 6 months	Death	026296-1	CDC Reports: 3 mo infant received DTP/OPV on 12DEC89 and died same day. Infant was put down for a nap approx 1PM. Mother checked on infant approx 4PM no response dead on arrival at hospital.
0 days	< 6 months	Death	<u>027160-1</u>	Pt vaccinated with DTP/OPV/HIB expired 7 hrs later. Dx SIDS.
0 days	< 6 months	Death	028091-1	Died 5 days p/1st DTP vax; Noticed spitting-up increased p/vax.
0 days	< 6 months	Death	028432-1	pulmonary congestion & edema,bronchopulmonary dysplasia, Child not acting right all day, as per family, stopped breathing in front of mom, found in cardiac arrest by EMT who began CPR,pt found /w distended abdomen, decompressed manually
0 days	< 6 months	Death	029463-1	P/immun given client started to cry & then became apneic; PR noted 126; Apnea lasted only 15-20sec- raised It arm & client responded imm; color ashen; DX w/hyperplastic heart: prognosis poor;
0 days	< 6 months	Death	029477-1	Child mild fever & pain @ inject site; woke up crying; Limp & pale mom not certain if baby was breathing resuscitated poss SIDS;
0 days	< 6 months	Death	035080-1	Pt died-SIDS on death certificate; Pt died evening p/immun were given; MD requested vax adverse rxn report be filed; Mom states pt did not seem to have had any reactions to the immun;
0 days	< 6 months	Death	035466-1	PT found dead in his crib;
0 days	< 6 months	Death	035493-1	Death from apparent SIDS; sudden infant Death Syndrome;
0 days	< 6 months	Death	036133-1	Arrested 1 1/2 hrs post inject; resuscitated & put on respirator; 24 hrs later MD discussed w/parents about d/c life support because pt multiple problems & was non-responsive to current tx; Life support systems d/c pt

		1	The vaccine Adv	erse Eveni Reporting System (VAERS) Results Form
				allowed to die;
0 days	< 6 months	Death	039638-1	Pt was DOA @ ER on 10FEB92; Family reported pt had fun fever since shots on 10FEB92; temp on arrival was 103.4; Pathology report was presumptive SIDS;
0 days	< 6 months	Death	039932-1	Probable SIDS recvd injections died 3 hrs later;
0 days	< 6 months	Death	040098-1	Coroner ruled SIDS death;
0 days	< 6 months	Death	040527-1	SIDS found dead in crib;
0 days	< 6 months	Death	041278-1	Redness @ site of inject same day;
0 days	< 6 months	Death	<u>041588-1</u>	Pt w/congenital heart disease (pulmonary artresia & VSD) w/chronic desaturation but otherwise stable; pt was irritable p/vax & that noc became more irritable & difficult to console; became limp & cyanotic; EMTs called-taken to ER;
0 days	< 6 months	Death	<u>041658-1</u>	Pt adm to ER about 2030 cardiopulmonary arrest-no fever transferred to another hosp & placed on life support-taken off ventilator 2100 18MAR92 & expired;
0 days	< 6 months	Death	041869-1	Pt recvd vax @ approx 2PM, poor feeding @ approx 6PM; found unresponsive approx 12AM; DOA on arrival to ER; petechiae on thymus;
0 days	< 6 months	Death	<u>042073-1</u>	Pt recvd 2nd dose HIB vax 21AUG91 & exp tonic-clonic activity; pt taken to ER; flaccid; taken to another hosp dec movement of extremities; hemiparesis; weakness; 7SEP91 febrile sz & aseptic meningitis; gastroenteritis, bronchitis, epileptic
0 days	< 6 months	Death	042346-1	healthy pt made funny face, face turned red, appeared to be holding breath; mom determined not breathing, gave couple puffs, dialed 911; pulmonary artery & aorta w/fibromuscular thickening & stenosis; cardiomegaly; pulmonary congest & hem
0 days	< 6 months	Death	042471-1	Had fever p/vax of 99.4 & then to 101 lasted 2 days; never higher than 101; both upper & lower legs were swollen;
0 days	< 6 months	Death	<u>042901-1</u>	Pt recvd vax 28MAY92 @ 2PM & @ 530PM had fever of 103.4; MD recommended APAP & sponge bath via phone; 29MAY fever of 101; no other sx; 30MAY @ 5AM temp nl; found dead in crib @ 630AM; Autopsy being performed;
0 days	< 6 months	Death	043356-1	pt presented to ER in cardiopulmonary arrest; asystole; unresponsive, cold, stiff, eyes fixated, mottling;
0 days	< 6 months	Death	043900-1	Pt vaxed 7JUL92 & 14JUL92 had cardiopulmonary arrest in hosp & died; mom states pt had temp 102-103 1st 24 hrs, crying & difficulty of breathing on & off whole wk; pt taken to hosp because stopped breathing; myocardial infart, leukomoid rxn
0 days	< 6 months	Death	043904-1	2 hrs onset to severe resp congestion; MD dx as bronchitis but 2 hrs later @ hosp stopped breathing; various CNS difficulties-developmental delay; raspyyness & congestion; resp failure; quit breathing;
0 days	< 6 months	Death	043906-1	pt died;
0 days	< 6 months	Death	044200-1	Pt started w/fever on 24JUL92 AM & mom gave Tempra fever went up to 103 & mom started bathing pt in cold baths; Mom took pt to MD started staring blank & convuls

		!	ne vaccine Auv	erse Eveni Reporting System (VAERS) Results Form
				adm to hosp & had cardiac arrest;
0 days	< 6 months	Death	045052-1	Sudden infant death approx 3 hrs p/recvd DTP/OPV/HIB TITER; no response to full advanced cardiac life support;
0 days	< 6 months	Death	<u>046022-1</u>	pt began having cramping & muscles contracting; appeared in pain; contacted medical advice told to give warm baths, massages to innoculated area & APAP; if not improved take to clinic 17MAY91;
0 days	< 6 months	Death	<u>050679-1</u>	pt died during the noc p/1st set of immun were given @ clinic that day; exaxt time of death unk;
0 days	< 6 months	Death	<u>050682-1</u>	From the time of the shot until death 9 day later pt screamed & little butt swelled the size of a soft ball & hard as a rock; mom thinks pt died as result of shot not crib death as stated by hosp & MD:
0 days	< 6 months	Death	<u>051271-1</u>	SIDS, same day as Hep B vax recvd;
0 days	< 6 months	Death	051982-1	SIDS death 3APR93; autopsy performed; submission of this report does not necessarily constitute an admission that the drug was responsible for the SIDS death;
0 days	< 6 months	Death	<u>054030-1</u>	pt w/known heart murmur, confirmed autopsy w/William's synd w/stenosis; mild pulmonary stenosis; died suddenly that noc;
0 days	< 6 months	Death	<u>054764-1</u>	pt's history & autopsy findings consistent w/SIDS; had recvd routine vax OPV/DTP/HIB earlier on same day;
0 days	< 6 months	Death	<u>054915-1</u>	nl delivery, return for 2 month well baby check up, recvd vax listed below (pt appeared to be healthy); 1 day p/vax arrived in ER DOA w/high core temp;
0 days	< 6 months	Death	<u>055460-1</u>	shot administered on 22SEP81 intermittent fever all that day; 23SEP prolonged sleeping/unresponsive; found dead on morning 24SEP81;
0 days	< 6 months	Death	<u>055729-1</u>	22APR93 pt died; pt had been fussy & some fever until 2AM, @ 1 point eyes rolled back in head; then both pt & parents to sleep; 7AM check pt dead; family & godmom concerned pt had recvd immun 21APR; 23APR tc to SIDS center pt died of SIDS;
0 days	< 6 months	Death	056194-1	pt stopped breathing & went limp; was shook by father & taken to ER: CPR done; put on respirator; declared brain dead 1-2 days later & machine turned off; not sure what if any relationship exist between vax & following events;
0 days	< 6 months	Death	<u>056257-1</u>	pt recvd vax & approx 1 wk later pt died; COD SIDS; no details available from reporter; family hx of SIDS;
0 days	< 6 months	Death	<u>056555-1</u>	redness & swelling of thigh, t101, crying 3 1/2 hrs; onset approx-noon; MD office approx 2-3PM;
0 days	< 6 months	Death	<u>057806-1</u>	SIDS
0 days	< 6 months	Death	<u>060833-1</u>	Pt recvd vax 15FEB94 & was fussier than nl in evening; taken to ER w/abn ventricular thythm; died between 15FEB-PM & 16FEB-AM; h/o aortic stenosis; prev underwent ballon catherization-not completely successful;
0 days	< 6 months	Death	<u>061695-1</u>	Pt reportedly died in 1983 following the administration of Tri-Immunol; lot# was not recorded; No further clinical details available;
0 days	< 6 months	Death	<u>062010-1</u>	Pt recvd vax & 2 hrs later pt's leg was swollen to the size of a nickel & had a sl fever; pt then developed sl diarrhea & was taken to ER-dehydration; pt vomited; appeared to be in colic-like pain; breathing was rapid & fever 104;

	ı	ı	i ne vaccine Adv	erse Event Reporting System (VAERS) Results Form
				bluish
0 days	< 6 months	Death	<u>062713-1</u>	Pt was brought to hosp by squad; DOA; pt apparently was healthy & put to bed by mom & found unresponsive @ approx 11PM & squad was called;
0 days	< 6 months	Death	<u>063305-1</u>	pt recvd vax & mom put pt in crib on stomach came back & pt was blue & not breathing-taken to ER:
0 days	< 6 months	Death	064863-1	pt recvd vax & went home midly fussy & 4 to 6 hrs later p/feeding & being laid supine was found limp/pale/apnic; irritable, cry, pale, unresponsive, not breathing
0 days	< 6 months	Death	<u>064905-1</u>	pt recvd vax & was unresponsive; ems was activated & recucitation initiated; pt taken to hosp & died;
0 days	< 6 months	Death	066349-1	pt cried for 7 days day & noc, nearly nonstop; pt refused to take breast & bottle; unable to comfort pt; pt did not eat or drink; pt devel a bad cold-bronchitis-pneumonia;
0 days	< 6 months	Death	<u>067351-1</u>	pt recvd vax & had respiratory dis;dx w/ hyperkalemia; sepsis;slight depression on breathing;fussy;gagging;had heaves; difficulty in breathing; was pale;cyanosis;weak pulse & unobtainable BP;grunting in acute respiratory distress;1 100.7;v
0 days	< 6 months	Death	<u>068503-1</u>	w/in 12 hrs of vax pt became lethargic, limp, lips white, irregular breathing; observed in ER for 12 hrs improved condition discharged home; apparent SIDS w/in 12 hrs; prev hx of SIDS in half sib @ 6 wks of age; t98 @ time of vax-no temp;
0 days	< 6 months	Death	068773-1	pt recvd vax on 25nov92 at 11:30am;asleep 12:10pm & put in crib;found unconscious & not breathing around 2pm;to hosp & pronounced dead at 2:30pm;
0 days	< 6 months	Death	<u>069167-1</u>	pt recvd vax; high pitched crying after vax;to er & hosp next night;MD gave apap & alcohol pads for leg;got better saturday;took bottle at 2am sunday;was found not breathing at 6am sunday;to er & pronounced dead;
0 days	< 6 months	Death	070295-1	high pitched screaming, convuls, lifeless, very cold reaction started 2hrs or so p/shot; took to MD few days later had ear infect & probable bronchitis; was prescribed Rondec & amoxicillian; next day pt died;
0 days	< 6 months	Death	070531-1	pt recvd vax 16DEC94 in the afternoon; mom says pt cried & screamed nearly continually thereafter sleeping for less than an hr @ a time until went to sleep 0200AM 18DEC & was found @ 0400 dead in bed; slept 2 hrs p/vax then started crying;
0 days	< 6 months	Death	<u>070723-1</u>	pt arrived @ ER DOA:
0 days	< 6 months	Death	<u>071901-1</u>	12-19AUG screaming constant leg, couldn't move body or cry; 19-30AUG still alot of crying when awoke; excessive sleeping; pt would wake up stiffen body for 30-40seconds then go back to sleep 29th of Aug 102 fever, rash, crying & very limp;
0 days	< 6 months	Death	072601-1	pt recvd vax; pt found at home face down, not breathing;
0 days	< 6 months	Death	072629-1	pt recvd vax; dec feeding, crying moaning 9sep94;3 hrs p/vax, lethargic,sleepy, starring,high pitched cry;to MD,stated this was nl response;v & all oth sxs cont until pt brought to Ped cardiologist 14sep94;
0 days	< 6 months	Death	074254-1	fever the noc following vax but temp not measured; reported not feeding much; mom woke @ noon finding baby unresponsive, no resp, lips & feet blue;

		•		
0 days	< 6 months	Death	<u>075507-1</u>	pt recv vax;@ home mom reports difficulty breathing;to er;full arrest;CPR adm;resuscitated;P=159;felt warm;;thought to be chocking;pupils small; pt's VS full;pt intubated;epi given;pt died,suspected SIDS;
0 days	< 6 months	Death	<u>076529-1</u>	pt found by parents this morning p/vax apneic & cyanotic; paramedics & ER MD unable to resuscitate;
0 days	< 6 months	Death	<u>076686-1</u>	death; (fever prior to death)
0 days	< 6 months	Death	<u>076689-1</u>	on 26oct77,pt was found unresponsive w/ cardiopulmonary arrest;resuscitation in er was ineffective;autopsy was unremarkable,COD was SIDS;
0 days	< 6 months	Death	<u>076690-1</u>	found dead in bed hrs p/ DTP;
0 days	< 6 months	Death	076697-1	7mar86 pt found asystole by babysitter & EMT ,no resp effort,cyanosis,dilated fixed pupils,resp effort & cool skin/T;failed to respond to CPR;autopsy including brain microscopy revealed only pulmonary congestion; death due to SIDS;
0 days	< 6 months	Death	<u>076704-1</u>	virtually no record for review; it appears to have been unexplained crib death same day as dtp; SIDS death;
0 days	< 6 months	Death	076894-1	pt exp cardiac arrest about 2 1/2 hr p/vax;was sleeping @ time;t99.0;?SIDS
0 days	< 6 months	Death	<u>079264-1</u>	DOA hosp 23AUG95; 11SEP95 ER notes havd no addtl info nor do they know were, or if, an autopsy was performed;
0 days	< 6 months	Death	079603-1	high pitched persistant crying, fever, loss of appetite, throwing up, listlessness, loss of muscle control, diarrhea, shaking, death
0 days	< 6 months	Death	083615-1	temp elevation to approx 102,lasting about 15mins each time PM 26FEB,AM 27FEB & 2AM 28FEB;26FEB BC-staph sinulans;27FEB BC sterile;no other sx until sudden death 28FEB96 2PM;
0 days	< 6 months	Death	083690-1	pt taken to hosp ER @ approx 11PM for resp failure
0 days	< 6 months	Death	<u>084670-1</u>	pt recv vax 12FEB96 & the same day became irritable, sleepy & sl fever, given APAP; sx cont & 19FEB96 pt was found in crib w/SOB; pt died on 13MAR96; hosp x 3 wk; pt had numerous episodes of sz, edema, blood in briandeclared brain dead 22FE;
0 days	< 6 months	Death	<u>085372-1</u>	pt started crying 8PM & wouldn't stop;pt changed color;911 called paramedics worked on pt for 30mins & then went to hosp;pt was reported dying, then dead;autopsy requested;
0 days	< 6 months	Death	086401-1	pt recv vax; died w/in 24 hrs; found dead at home;
0 days	< 6 months	Death	<u>086930-1</u>	mom noticed irritability p/vax;pt recv APAP-1hr later, pt went to sleep;later when mom check on pt pt pale, unresponsive-paramedics were called;pt transfer to hosp where pt later expire (about 3hr p/1st sx)
0 days	< 6 months	Death	087427-1	pt recv vax 6JUN96 & pt seemed healthy & happy (smiled a lot) AM of vax;mom called nurse 10JUN96 reporting pt was listless-no energy p/vax;no fever;mom holding pt in evening, mom fell asleep & awakened to find pt cold & deceased & blue;
0 days	< 6 months	Death	<u>091557-1</u>	pt was given vax @ approx 1PM & died @ approx 8PM:pt went into coma in afternoon & was rushed to hosp;
	1		İ	

5		ı	he Vaccine Adv	erse Event Reporting System (VAERS) Results Form
0 days	< 6 months	Death	092462-1	death-presumed SIDS @ this time; death occurred 1030PM;
0 days	< 6 months	Death	<u>093813-1</u>	pt devel a fever of 102 in evening same day of vax; also had dec appetite, cough & runny nose; parent stated that pt cried alot & had a cough & temp of 102.5; pt stopped stopped breathing;
0 days	< 6 months	Death	<u>094930-1</u>	pt recv vax & became irritable; 2 hr & 40min post vax pt was found dead in cradle; autopsy results stated visceral congestion compatible w/anaphylactic shock subsequent to vax against H. influenzae;
0 days	< 6 months	Death	<u>095164-1</u>	SIDS w/in 6hr of vax;
0 days	< 6 months	Death	<u>095332-1</u>	Death in evening p/vax while being fed;
0 days	< 6 months	Death	<u>097165-1</u>	pt recv vax 23APR97 & it was reported that about 423AM on 24APR97 pt was found expired in crib;pt reportedly had unremarkable med hx & had a nl develop;MD felt was instance of crib death (SIDS);
0 days	< 6 months	Death	<u>097336-1</u>	SIDS; pt recv vax 28APR97 & later that afternoon pt was found expired by babysitter who had put pt down fro a nap; pt was transported to ER: ER is attributing incident to SIDS;
0 days	< 6 months	Death	100353-1	11AM pt recv vax;330PM pt fussy, irritable laid down for nap;4PM found unresponsive-family called attempted resus;Time of death 5PM;hx of poss sz per mom;
0 days	< 6 months	Death	<u>102627-1</u>	immed p/vax 9AM pt went into a deep sleep;woke 30min later still in a light sleep;10AM would not take bottle from a babysitter;APAP given 1230PM w/feeding;sitter checked child 2PM appeared fine;3PM pt found expired; poss SIDS & vax therapy;
0 days	< 6 months	Death	105297-1	fever 104.0 all day;1AM 9SEp went to hosp for fever given motrin sent home;9SEP started coughing @ hosp;went to primary MD on 10SEP & was wheezing & coughing recvd albuterol tx in office;wheezed until 3OCT;redness & knots on legs p/vax
0 days	< 6 months	Death	<u>105621-1</u>	pt recv vax 12noon & returned to daycare; put down for nap 350Pm; checked on baby 415PM & not breathing resuscitated in local ER, transferred to another hosp; cont profoundly hypotensive w/severe metabolic acidosis & expired @ 0647 11NOV97;
0 days	< 6 months	Death	<u>108077-1</u>	pt recv vax 28APR97 & that afternoon babysitter found pt dead;pt was taken to ER;autopsy results are pending however ER staff attributed this event to SIDS;
0 days	< 6 months	Death	<u>108787-1</u>	patient died;COD unk by reporter;
0 days	< 6 months	Death	<u>109218-1</u>	pt died of suspected SIDS-pt had underlying severe hydrocephalus & chiari malformation was in good baseline hlth was found in prone position pt had very poor tone & head control at baseline;
0 days	< 6 months	Death	<u>109861-1</u>	mom states no unusual sx p/shots;no fever, not fussy;put to bed @ 745PM; 840PM father found pt not breathing w/blood in nares;transported by EMS, CPR done, pt DOA @ hosp;
0 days	< 6 months	Death	113477-1	pt recv vax & became feverish & fussy that afternoon (5-6 hr later) but still feeding; to ER 30JUL98 w/severe resp distress, grunting, cyanosis, drawing in of chest, semicomatose shock, afeb; intubated; WBC 49.2, segs polys

			THE VACCINE AUV	erse Evenit Reporting System (VAERS) Results Form
				33%,lymph 61%;
0 days	< 6 months	Death	<u>113718-1</u>	pt reported to have been mildly irritable the day & the day p/vax; on the 4th day p/vax pt had bottle in AM (8AM) & was put down for a nap around noon & was found dead about 30min later;
0 days	< 6 months	Death	<u>113915-1</u>	preliminary rpeort baby died in car ride home, no preceding sx, signs; EMS called @ 942AM autopsy currently being done;
0 days	< 6 months	Death	114230-1	pt was seen in the office on 10SEP98 for 4mo check up;recv vax died early evening on 10SEP98;15SEP98 MD reports poss SIDS:vaccine related pending;
0 days	< 6 months	Death	<u>115261-1</u>	infant died of possible SIDS 4-5hr p/vax;
0 days	< 6 months	Death	<u>118525-1</u>	approx 1hr p/vax pt was a little cranky & had a temp of 101 according to mom, gave APAP, no other problems noted;
0 days	< 6 months	Death	<u>118636-1</u>	pt started getting a fever @ 1PM the same day as vax;pt had swelling @ the site of DTP as well as soreness;pt was very cranky & was sore for 3 days following vax;3rd day pt died;
0 days	< 6 months	Death	<u>118637-1</u>	pt recv vax 300CT98 at 12:00PM at an office visit;4hr later when pt was fed had a projectile vomiting event in which all the formula was expelled & later pt was cranky & did not sleep @ noc;constant crying & cold hands & feet;
0 days	< 6 months	Death	<u>119054-1</u>	pt seemed very not content, spitting up, acting like had h/a;
0 days	< 6 months	Death	122391-1	pt reported to have choking episode & resp distress & lethargy;led to resp arrest then cardiac arrest;
0 days	< 6 months	Death	<u>122670-1</u>	pt recv vax & 16hr post vax pt died; pt seemed fine immed p/vax but few hours later devel sudden difficulty in breathing which resembled convuls; pt didn't breath properly & appeared to be convuls & would not burp;then went to sleep fast
0 days	< 6 months	Death	<u>126435-1</u>	parents found child dead in crib;
0 days	< 6 months	Death	134066-1	Pt recv'd vax on 4/29/99. When mother was putting child to sleep she noticed the child was not breathing. She blew in child's face & he resumed respirations. Child cont to be lethargic, weak, & crying for 45 mins. Came to ER & dxed w/ poss
0 days	< 6 months	Death	<u>150874-1</u>	Child presented to ER, lifeless and not breathing. Baby cool with rigor mortis. Mom had fed infant at 13:30 and he was fine. At 17:00, noted to be pale and lifeless. CPR began and brought to ER. Autopsy shows pulmonary vascular congestion, pulmonary edema, tracheobronchitis with bronchiolotis and peri-bronchiolar pulmonary inflammation, generalized visceral congestion, sudden infant death
0 days	< 6 months	Death	<u>151620-1</u>	Pt went to local ER dead on arrival. Follow-up with mom states she brought baby to ER because he stopped breathing. Autopsy revealed SIDS.
				"A 4 month old female received her 1st vaccines and was seen in the clinic on 5/24/2000. That evening, she was hospitalized. On 5/25/2000, inpatient laboratory tests were performed and the pt underwent a Kasai procedure.

•		'	TIE VACCITIE AUV	erse Eveni. Reporting System (VAERS) Results Form
0 days	< 6 months	Death	<u>155408-1</u>	Post surgery, she developed massive ascites. The pt was transferred to a tertiary care facility on 5/27/2000 and a liver transplant was performed. She developed post surgical complications and expired on 6/8/2000. The reporter indicated that the pt's death was ""clearly unrelated to vaccination"". Cause of death was not provided."
0 days	< 6 months	Death	162102-1	Pt was seen 11/07 for 2 month physical evaluation and received Hepatitis B vax. No problems occurred while in the office. He apparently developed respiratory problems on the car ride home and was transferred to the hospital ER and then to another hospital by ambulance. He expired on 11/09/2000.
0 days	< 6 months	Death	<u>162585-1</u>	28 4/7 weeks premature infant was given vaccines on 10/23/00 at approximately 9:00. At 12:00 the infant had signs of decreased profusion, shock, malaise, acidosis, and cardiac arrest. Autopsy shows lung congestion. Death stated as caused by repiratory failure secondary to congenital heart failure.
0 days	< 6 months	Death	<u>164757-1</u>	The pt died from SIDS less than 12 hours post vax.
0 days	< 6 months	Death	<u>165790-1</u>	This patient presented to ED in shock. The patient was then transported to PICU. The patient in shock requiring cardiopulmonary resuscitation. The patient expired approximately 72 hours after admission. The patient had received Prevnar the day prior to admission. Autopsy shows baby was cyanotic, not breathing
0 days	< 6 months	Death	<u>166796-1</u>	Pt seen for well check, 24 hours, after seeing cardiology. Appeared well for this pt. Had vaccines; no fever; become congested and heart stopped.
0 days	< 6 months	Death	<u>168013-1</u>	Cough started 2/21/01. Vomiting phlegm the weekend before 3/3/01 and 3/04/01 crying with no tears. She was eating and had no fever. Stool very runny. Saw doctor on 3/1/01. She lost 5 oz from 2/13/01 to 3/01/01. Doctor found nothing wrong.
0 days	< 6 months	Death	<u>171031-1</u>	Immediate projectile vomiting, diarrhea, excessive sleeping, slight fever, tenderness in both legs and feet, staring for long periods of time. Shots were given Friday, 05/25/01, baby passed away Monday in her sleep, general lethargy 05/28/01. Autopsy gives cause of death as sudden infant death syndrome.
0 days	< 6 months	Death	<u>178822-1</u>	I was told that the mother placed him in his baby bed around 20:00. About an hour later, when she checked on him, he was not breathing. I was told he died at home. COD as per autopsy report SIDS
0 days	< 6 months	Death	<u>181356-1</u>	Temperature of 102.2F, 2 hours post vax. No appetite and heavy breathing. At 20:00, she was alive in parent's bed and found at 10:00 on 1/23/02 (legs were black and blue from hip to knee). Unconsolable crying. Per F/U: child being found unresponsive face-down in a bed Co-sleeping with her father.
				Healthy 2 month old black male received 4 vaccinations, IM, at about noon; fell asleep immediately, taken home, still apparently asleep. Found unresponsive with face down by mother at 18:00. Asystole at the scene. Full term with low birth weight of 4 lbs and 11 oz, NSVD to a 31 year old married G2 P2 with PNC; history of maternal alcohol and marijuana use with first trimester; no

)			THE VACCITIE AUV	erse Event Reporting System (VAERS) Results Form
0 days	< 6 months	Death	<u>181780-1</u>	maternal disease. Autopsy shows severe eosinophilic infiltrate of muscle at the injection site. Weight at death 9 lbs and 4 oz. Per F/U 5/7/02: COD-SIDS Exam: left thigh injection site showing 2 hemorrhagic puncture defects extending vertically into the deep muscle surrounded by an extensive area of edema and severe acute inflammation composed mostly of eosinophils. Right thigh injection site showing a hemorrhagic puncture defect in the deep muscle and slight focal acute inflammation. Cerebrovascular congestion (mild) and heterotopic neuronal rest, large-cell type, cerebellar white matter; incidental finding. Hospital care facility report states: COD as cardiopulmonary arrest.
0 days	< 6 months	Death	<u>187233-1</u>	Pt came in mom and dad for 4 month well visit. Was doing well at that time with no illness or temp noted. Pt is former 32 weeks premie who had good weight gain was up to 8#9lb. Shots below were administered. Pt tolerated them well. When parents got home they gave dose of Tylenol at 8pm but stated no temp was noted. They then gave another dose at 12am. Pt acted very lethargic with decreased po intake. Parents awake at 6am and found pt to have passed. No fussiness was ever noted, just increased sleepiness with a decrease in po intake.
0 days	< 6 months	Death	<u>189021-1</u>	Pt went into cardiopulmonary arrest after being seen for WCC and receiving immun. Pt with severe pre-existing illness. Death most likely not related to vaccine but occurred in 2 hours after administration therefore is being reported. Autopsy pending. Per F/U 8/20/02: Mild pulmonary congestion.
0 days	< 6 months	Death	<u>189147-1</u>	SIDS 30 hours after 2 mos immunizations autopsy pending. DTaP, IPV, Comvax, Prevnar.
				June 21-24hrs pt screamed quite loudly when he received his immunizations and whimpered off and on afterward. The most immediate and noticeable change in pt was emotional and metabolic. He was unusually fussy and prone to crying and screaming. His normal stools were deep mustard in color and never runny. After the immunizations his stools were very loose, watery, a pale yellow color with a strong odor and the stools ran out the back of his diaper. He had frequent bowel movements like this throughout each day and they continued in this manner until he died. He was also noticeably sweaty with an oily smelling scalp, like someone who'd done a strenuous workout. This was not normal for pt. He would be bathed and this condition returned very quickly. Before his immunizations, pt enjoyed his baths. After his immunizations he would scream and cry the whole time he was bathed until he was dried off and clothed. The same would happen when he would be washed for a diaper change. He did not even enjoy being powdered anymore and this had been his favorite part of bathing. Mentally, I noticed at one point pt would stare directly in front of him as if in a trance. I would try to get his attention and he would not respond. After a short time pt would come out of this trance-like state and would growl. Pt seemed confused and upset when he came out of this trance-like state. I fully expected pt to be irritable for at least 72 hrs after his shots. Generally speaking this was my experience with my other 3 children after immunization. I also expected him to be very sleepy. To alleviate his discomfort, the Drs. advised the use of Tylenol drops. I medicated my other children in the same

)		'	The vaccine Auv	erse Evenit Reporting System (VAERS) Results Form
0 days	< 6 months	Death	<u>193371-1</u>	way with good success. With pt the Tylenol did not work. He was still very fussy and unhappy. I did not know what to think. But because my husband had cut teeth at 3 mos. of age I believe there was a possibility that pt was cutting teeth. I felt his gums and it was questionable but I thought there could be teeth under the gums. So I gave him teething medication. It seemed to help a little but not for long. He was back to fussing after a short time. I also noticed pt was unusually gassy and I thought this was due to the diarrhea. I thought this might be causing his fussiness. So I gave him gas drops. It seemed to help him pass some gas but it didn't help with the fussing. June 26 (five days)-We were also in the midst of a move so we also felt there was a change pt was upset because of the change. We had packed out our home and thought his fussiness might be because his things were packed away. While the movers were packing, I carried pt around in a carrier. He was fussy even then and I moved around quite a bit. He just continued not to be himself. June 27 (6 days)-Then when we moved to our temporary living facility, we thought perhaps the strangeness of the surroundings was upsetting pt. Pt's nature was such that he preferred being home in familiar surroundings, that's where he was happiest. The following thing were always helpful with pt in the past when he was fussy: nursing, rocking, swinging in his swing, sitting in his bouncy chair, being held, bathing him, and changing his diaper. Some of these thing helped a little after he was immunized but not for very long. Nursing was good until he'd eaten what he needed, then he'd be fussy, gassy and have diarrhea. Nothing we did really seemed to help keep pt content like he once was. Even pt's most favorite thing, being held, was of little consolation. At this point I was very concerned that we would not be able to keep pt calm long enough to make the plane trip across the ocean of the US. I was sure that people would become annoyed with us for having this very nois
0 days	< 6 months	Death	<u>195695-1</u>	Death
0 days	< 6 months	Death	<u>199432-1</u>	Pt received vaccinations on 3/7/03 in am. At 7:22pm pt's mother called the urgent care dept to report pt had 102.2 fever and was fussy-no rash or redness was present. Pt was seen that evening. On 3/8/03 pt was reported to look better. On 3/9/03 pt was found deceased in crib.
				My fiance recently took our son for his 2 month check up on March 4, 2003. He received three vaccines that day DTP, IPV and Hib. That night he was very fussy, wouldn't take his bottle and cried all night. Patient usually would go back to sleep in the middle of the night after he ate, but this night was different. It was so bad I stayed home from work to be with him. I didn't think nothing of it due to the fact he was colic. March 7th I took him to his Doctor because he had conjunctivitis and they gave him a routine check up. The next two nights he wouldn't sleep much and a little fussy, but not as bad as when he first got the vaccines. Saturday night March 8th I put my baby down to sleep around 12:45am. Patient woke up around 6 am. His

0 days	< 6 months	Death	<u>199689-1</u>	daddy tried to feed him but he wouldn't take his bottle all he did was cry. Finally patient fell asleep from exhaustion. Around 9:30am I woke up and checked on my baby and he was all blue, he died in his sleep. He was rushed to the hospital in the matter of minutes. They worked on him for about a half hour and there was nothing they could do. My angel was gone. The Doctors said they believed it was a case of SIDS. His tissues are still under investigation for the next 6 weeks. I really believe his death had something to do with the vaccines. He was born December 25, 2002 and rec'd the hepatitis vaccine, and agian on Jan.29,2003. I had a healty normal full term pregnancy. The only problem was that I had to get an emergency c-section due to patients heart rate was dropping. I was never informed of all the risks from vaccines. Please help me.
0 days	< 6 months	Death	<u>201117-1</u>	Pt was normally developing infant. After 1st vaccination series 9/19/02 Pt became fussy and would not sleep or eat well. He was followed by MD for possible colic. After 2nd vaccination series on 11/22/02, fussiness increased and appetite decreased, along with decreased sleeping. Pt was referred to a gastroenterologist; he diagnosed seizure activity and referred to neurologist, MD and to MD (cardiologist). He was placed on ACTH and zonegram. Childs condition worsened over the next several months and he expired on 3/18/03. Dr. reportedly told family that he could not rule out an adverse reaction to immunizations as a cause of the seizure activity.
0 days	< 6 months	Death	<u>202674-1</u>	10pm mom noticed child bleeding from nose while breast feeding, she wiped blood away then child turned blue and stopped breathing. She performed CPR dad call 911. Child was taken to hosp via ambulance. Pronounced dead 10:50pm. The autopsy report states SIDS.
0 days	< 6 months	Death	206879-1	IMMUNIZATIONS GIVEN SAME DAY PATIENT EXPIRED FROM SIDS. NO ADVERSE REACTION NOTED TO IMMUNIZATION.
0 days	< 6 months	Death	209109-1	Shots given at approximately 11AM, several hours later parents called because of Rash. They were refered to MD. received info that child was seen in ER on 8/16/03. Hospital discharge states vomiting, decreased urinary output, fever and thrush.
0 days	< 6 months	Death	211864-1	INFANT SAW DR ON 10-22-03. ULTRASOUND OF HEAD ORDERED FOR 10-23-03, JUST TO BE SURE NOTHING WAS IRREGULAR AS BABY'S HEAD WAS SLIGHTLY LARGER THAN SCALE. NO IMMUNIZATION CONTRAINDICATIONS. IMMUNIZATIONS GIVEN 10-22-03 AT HEALTH DEPARTMENT. 2 1/2 HOURS LATER BABY FOUND UNRESPONSIVE IN PLAYPEN. RECIEVED REPORT OF PENDING PROBABLE SIDS. Follow up: Autopsy to be mailed upon receipt of payment.
0 days	< 6 months	Death	<u>215541-1</u>	Pt was pronounced dead 3 1/2 hrs after his DPT shot. He was mis-diagnosed a SIDS death and then amended to cerebral edema-probable cause-DPT.
0 days	< 6 months	Death	<u>217975-1</u>	Patient began snorting and flaring her nostrils while breathing about 1 1/2 hours after vaccine, nurses assured us it was normal. Jaundice and lethargy began to set in around the same time and again we were told it was common and to have her checked by the peds the next day if it was worse. We were discharged to home where

5				ne Vaccine Adv	erse Event Reporting System (VAERS) Results Form
					she continued to display above symptoms. around 3:45 am on 01/18/2002 she stopped breathing, CPR was performed by her father and then the paramedics arrived, she was taken by ambulance to hospital ER where she was pronounced dead at 4:31 a.m.
0 d	ays	< 6 months	Death	<u>222616-1</u>	"shot give 1600 06/10/2004 06/10/04 2020 infant grunting, color grey, mottled hr 120, no murmur noted 06/10/04 unable to get temp, extremities cold (infant in warmer) pupils dialted no HR - on strip shows skipping heart beat CXR:cardiomegaly 6/10/04 22:10 newborn died Nurse follow up on 06/18/04 states: ""unresponsive, tachycardia, respiratory distress, regurgitation."" Nurse follow up on 08/02/04 states: ""Hypoplastic left heart complex."""
0 d	ays	< 6 months	Death	<u>223187-1</u>	"Lethargic. Developed an upper respiratory infection, diarrhea, vomiting. Nurse follow up on 06/30/04 states: ""ADD: shaken baby syndrome, retinal hemorrhage, tachycardia, unresponsive."" Nurse follow up on 07/27/04 states: ""manner of death was Homicide."" Nurse follow up on 07/30/04 states: ""Complete."""
0 d	ays	< 6 months	Death	<u>225432-1</u>	"On 8/9/04, patient had received Pediarix, HIB, and Prevnar at doctor's visit. Baby turned pale and was told to wait before leaving. Child got worse and CPR started and fire/rescue called. They continued CPR and were unsuccessfully intubating. Transferred to hospital where baby expired. Nurse follow up on 09/02/04 states: ""Pulseless, apnea."" Autopsy report stated patient unresponsive and crying."
0 d	ays	< 6 months	Death	<u>226876-1</u>	"Patient well at visit; received vaccines. Was fine when leaving office and at home. Was put in for a nap in early afternoon. Found 30 minutes later, was blue and nonresponsive. Received CPR and taken to ER. Nurse follow up on 09/28/04 states: ""No new information."" Medical records reviewed state patient COD was cardia arrest."
0 d	ays	< 6 months	Death	<u>231965-1</u>	"I was not educated about the side effects, risks and benefits and was not given the vaccine information sheets nor did I sign a consent form. I did not even know that my son recieved a combination vaccine and I have the documentation to prove it. Vital signs were not obtained. This facility expected me to remember all of the information that I had received on 6-18-03 when my other son received his vaccines. My son received his vaccines on 8-26-04 around 2:30pm. My son received his 2 month old vaccinations Pediarix, Hib, and Prevnar only one nurse administered these shots. He did not cry after receiving these painful IM injections. I questioned the nurse about why he was not crying because I thought it was very unusual she was not concerned she just smiled and said ""he whimpered a little bit"". I gave him some Tylenol because I did not want him to have any pain at the injection site before we left the doctor's office this was one of the things I remembered from past vaccinations. The only thing I was aware concerning vaccines was that children may be cranky, may run a fever or have pain at the injection site. I was so unaware of the dangers of vaccinations. No one educated me. He went into a deep sleep before we left the doctor's office parking lot. He slept for prolonged periods and would not wake to sound or touch. He woke up a few times ate very little and went right back to sleep. He was found dead on his back less than 20 hours from vaccinations. I know he was not

•			The vaccine Auv	erse Eveni Reporting System (VAERS) Results Form
				allergic to Tylenol because he had taken it many times before it had to be the vaccines. No one told us that an unusual behavior could indicate a possible reaction. 1/5/05 Autopsy report received which revealed COD as SIDS. Patient found supine on couch w/blanket. Autopsy also revealed recent URI and glomerulosclerosis."
0 days	< 6 months	Death	232015-1	Patient stopped breathing about 5:50. Paramedics were called. Baby pronounces dead at medical center. Autopsy confirmed natural causes (SIDS). Discharge summary rec'd on 03/02/2005 states additional codes of heart arrest and stupor.
0 days	< 6 months	Death	233746-1	Do not know. Autopsy Report received which revealed COD as acute bronchopneumonia.
0 days	< 6 months	Death	233969-1	Routine immunizations given at 3:42 PM on 11/18/04. Child went home and within 2 hours began to get fussy and did not take his bottle well. Mother put him to bed and around 8:00 PM the apnea alarm went off. CPR was unsuccessful and he was pronounced dead in the ER at 9:57 PM. Autopsy report received and complete.
0 days	< 6 months	Death	<u>244917-1</u>	Pt died less than two hours after vaccine. Tentative diagnosis - SIDS. Former premature baby with in utero marijuana exposure. Autopsy report rec'd 10/25/2005, box 7 complete., COD stated as SIDS.
0 days	< 6 months	Death	<u>246336-1</u>	Pt was administered Hep B and IPV vaccine at 9AM and pt died of unrelated causes at 12 noon same day. Case is in hands of medical examiner and has ruled out vaccine reaction as cause or contribution to death. Term added from Autopsy report rec'd 12/21/2005: SIDS/sr
0 days	< 6 months	Death	<u>248114-1</u>	Found in crib non responsive by sitter later that afternoon. Asystole on admission to ER. Added from Discharge summary rec'd 12/12/2005: Cardiopulmonary arrest and apnea./sr
0 days	< 6 months	Death	<u>250769-1</u>	Patient is a 4 month old male with a history of neonatal pneumonia (resolved) and mild GER. Seen in clinic on 11/3/5 for his four month well child check. Patient was vigorous and healthy. Received his vaccinations. Per his mother, he acted fine the rest of the day. That night, he was found unresponsive in a bassinet shortly after having been placed there by his sitter, with the ensueing interval of approximately 5 minutes. CPR was performed by the sitter and paramedics, but the patient was declared dead shortly thereafter. Autopsy declared the cause of death to be SIDS after finding no significant disease process, trauma or congenital anomaly. Autopsy also revealed aspiration & obstruction of both main bronchi & alveoli by aspirated material due to gastric outlet restriction. No new terms found in medical records from PCP.
0 days	< 6 months	Death	<u>251263-1</u>	Patient received 5 shots at routine well child visit on 10/27/05. She was fussy the rest of the day and slept all day on the 25th awakening only to eat, The mother treated the child with Tylenol cold drops for infants. 2/23/06 Received medical records from PCP. 2/23/06 Received Autopsy Report which states COD is Acute bronchopneumonia./ss
0 days	< 6 months	Death	<u>255503-1</u>	Baby fussy with temperature/fever. At 12:30 PM on 4/07/2005, baby was unresponsive. 9/25/2007 Received Death Certificate which reveals COD as SIDS.
0 days	< 6	Death	<u>259768-1</u>	2 month old received routine Daptacel, IPOL, ActHIB. No

			ne Vaccine Adv	erse Event Reporting System (VAERS) Results Form
	months			other problems. Baby was found dead during the night.
0 days	< 6 months	Death	<u>261277-1</u>	CHILD SEEN FOR 4 MONTH WELL EXAM 8/1/2006 NORMAL EXAM RECEIVED ROUTINE IMMUNIZATIONS AND DURING THE NIGHT THE PATIENT EXPIRED
0 days	< 6 months	Death	<u>265462-1</u>	After administering vaccines child became very fussy and over tired, would not wake to eat and passed away a little over a day later. Autopsy could not say that vaccines did not play role in death.
0 days	< 6 months	Death	<u>268567-1</u>	Apparent SIDS 8 hours post immunizations. 2/5/07 Received autopsy report which states COD as SIDS (category II). Findings at autopsy: unclear if found in bassinet or in infant seat; 36 wks gestation, complicated by preeclampsia; s/p overnight hospitlization 12/3/06 for RSV negative bronchiolitis; s/p multivax on 12/7/06. 03/06/07-received immunization records and family history along with PCP note of adverse event.
0 days	< 6 months	Death	269451-1	baby Found unresponsibe about 11 P.M by Father. dad called the Mother of Child Who is an icu nurse. She called an ambulance. Dad began CPR. The Child Was taken to hospital and then flown to MC. The Child Lived about 12 hours off life support. 12/21/06 Received medical records from initial hospital which reveals patient arrived at ER in full arrest, had been intubated by EMS in the field & CPR was in progress. Patient had been down approx 20-25 min prior to arrival to ER. During code in ER given multi doses of atropine & epi with no response. Developed V tach & was cardioverted multi times. Finally stabilized after Lido begun & ET tube replacement. Had to be transported to tertiary hospital via ambulance instead of helicopter due to bad weather in the area. 8/17/07 Received Death Certificate from state epidemiologist office which states COD as necrotizing bacterial pneumonia. 2/11/08 Reviewed autopsy report which states COD as necrotizing bacterial pneumonia. Brain revealed slightly thickened & mildly inflamed leptomeninges & early signs of hypoxic-ischemic encephalopathy.
0 days	< 6 months	Death	273981-1	"I am a pediatrician and was paged to ER to help with a 2month old coding. Mom said pt had received his vaccines then on the way home had stopped breathing so mom stopped the car then saw and ambulance. Paramedics found pt limp and brought him to Kaiser ER. When I saw pt., he was already intubated and had received epinephrine, bolus. Pt was coded for about 40-45 minutes and pulse never returned. I don't know where pt was vaccinated and I don't have any information on the vaccines given. 5/18/07 Received autopsy report which reveals COD as congenital heart disease (tetralogy of Fallot). Findings at autopsy include: I. Congenital cardiac malformation (tetralogy of Fallot) A. globular appearance to heart B. malposition of great vessels w/an ""overriding aorta"" C. mild subpulmonic valve stenosis D. High membranous VSD E. Right ventricular hypertrophy 1. pulmonary HTN 2. diffuse pulmonary congestion F. Large atrial septal defect G. left superior vena cava that emties into coronary sinus H. Juxtaposition of atrial appendages w/both atrial appendages lying on left side of great vessels. I. Right sided aortic arch J. Bilateral pleural serosanguineous effusions K. Peritoneal serosanguineous II. Horseshoe kidney III. Postmortem blood toxicology A. Acetaminophen 4.2 mg/L. IV. Postmortem metabolic

	ı	'	i e vaccine Auv	el se Eveni. Reporting System (VAERS) Results Form
				profile unremarkable."
0 days	< 6 months	Death	<u>282860-1</u>	Baby was found in crib unresponsive by a babysitter. She moved the baby to a couch until EMS arrived. Was placed in the crib at 2pm and found 1 1/2 hrs later. No fever or prodromal symptoms per the ER doctor. Unknown if Tylenol had been given. Was seen by private MD at 10am. 2/26/08 Reviewed autopsy report which states COD as undetermined. Pathologic findings: tox results neg; pulmonary vascular congestion, mild, combined weight of lungs 132 grams; petechiae of lung pleura, mild; no evidence of significant natural disease, injury, active infection, congenital anomaly, malformation metabolic disorders or malignancy.
0 days	< 6 months	Death	<u>290566-1</u>	"Initial report received on 10 September 2007 from a health care professional. A four-month-old infant with no concurrent illnesses, no known allergies, and who had no pre-existing medical history, had received a second intramuscular dose of ActHib, lot number UF160AA (Sanofi Pasteur SA lot number A0122-2) in the left thigh; a second intramuscular dose of Daptacel, lot number C2650AA in the right thigh; a second intramuscular dose of IPOL, lot number Z0872-2 (reported as Z0872), in the right thigh; and a second intramuscular dose of Prevnar (manufacturer Wyeth), lot number B97283B, in the left thigh. The patient had not experienced any adverse events following prior vaccinations. Later that evening the patient was ""found expired."" Reportedly, an autopsy will be completed. 3/19/08 Reviewed autopsy report which states COD as complications of congenital pulmonary malformation. 3/19/08 Autopsy states pathologic diagnoses as: I. Congenital Pulmonary malformation with A. Microscopic characteristics most c/w congenital cystic adenomatoid malformation, Type I B. lymphocytic & macrophage peri-bronchial inflammation, mod to marked C. Intraalveolar hemorrhage, marked D. pulmonary edema, marked III. Abnormal 17 hydroxyprogesterone study w/o microscopic abnormality of adrenal glands."
0 days	< 6 months	Death	<u>294659-1</u>	My child was very fussy with a runny nose for two days then she was very unresponsive on the third. On the fourth day she stopped breathing. The on call physicians only advice for treatment was baby tylenol. 11/18 Death certificate states COD as severe hypoxic ischemic injury w/cardiac arrest & complex cyanotic heart disease as contributing factors. 11/13/07 Reviewed hospital medical records which also included birth records. Admitted 5/29-5/30/2007 s/p cardiopulmonary arrest at home. Seen initially in outlying ER & transferred for higher level of care s/p resuscitation, intubation & interosseus dopamine drip. IV & a-line established & placed on ventilator. Transfused PRBCs & FFP. Acidotic, hypoglycemic & hypocalcemic on admit. Tx w/antibiotics. EEG showed very low voltage activity. Extubated & patient expired quickly w/parents in attendance.
0 days	< 6 months	Death	300400-1	Patient died the night he was given immunizations; he had a chronic neurological condition of unknown etiology. 5/2/08 Reviewed ER medical records which consisted of EKG strip showing asystole & a copy of death certificate which states DOD as 12/12/2007 & COD stated as cardiopulmonary arrest; aspiration; congenital brain malformation. No autopsy was done.
I		I	l	

5			ı	ne vaccine Adv	erse Event Reporting System (VAERS) Results Form
	0 days	< 6 months	Death	<u>303172-1</u>	"Information has been received from a mother concerning her 5 month old underweight daughter who ""had been throwing up a lot since around the time she was born and who in August 2007 ""was really constipated and had a fever of 103F"" who on 24-OCT-2007 was vaccinated with a first dose of PEDVAXHIB. A second dose of PEDVAXHIB was administered on 07-DEC-2007. The mother reported that the patient ""was given a lot of other shots"" on the same days. The patient was reportedly ""really sick"" after the second dose of PEDVAXHIB on 07-DEC-2007. The patient was being seen by the health department. Subsequently the patient died on 16-DEC-2007. It was reported that they were awaiting autopsy results but an initial report from the medical examiner that stated ""there was cocaine metabolized in her hair."" Additional information has been requested. 3/5/08 Autopsy report states COD & manner of death as undetermined. Circumstances suggested smothering & mechanical asphyxia w/blunt force injuries, acute bronchopneumonia RUL."
	0 days	< 6 months	Death	308500-1	Patient stated having myoclonic jerks on 3/28/05. After her 4 month vaccinations, she had uncontrolable seizures that resulted in hospitalization for about six months. She has had numerous testing done at Hospital and results have remained, no known cause. 4/30/2008 MR received for >10 admissions from 3/29/2005 to 3/09/2008. Initially admitted 3/29/2005 in status epilepticus, progressive in nature since 2pm. Episode started with arm and leg twitching, which progressed to myoclonic jerking of upper and lower extremities with LOC. Admitted multiple times subsequent to this even with DX: Myoclonus for DOS 4/10-22/05. Pt developed refractory seizures of multiple types including generalized tonic-clonic seizures, complex partial seizures as well as myoclonic jerks, eye deviations. Frequent admissions for increased seizures as well as various infections (Candida, Mycobacterium, C.diff). Developmental delay noted by 5/2005 with regression. Hypertrophic cardiomyopathy dxd 6/2005. Suspect metabolic or mitochondrial disorder. G-tube placed after failed swallow study. Ketogenic diet started 2007 with good control of seizure. Poor muscle tone and head control. Assessment 3/11/08 Status epilepticus, Global Developmental Delay, Possible mitochondrial disorder. 4/17/09 F/u received reporting pt's death in December 2008. 5/14/09 Genetics note recd dated 11/20/08 for eval of genetic testing done. W/U (-) for known disorders. Most likely a mitochondrial d/o, unproven. 6/24/09 Verbal report from ME's office with COD -hypoxic ischemic encephalopathy complicating probable viral myocarditis in a child with developmental disorder of uncertain etiology. manner of death natural. 8/3/09 Autopsy report received with above COD. Final Dx: Lymphocytic Myocarditis with hypoxic/ischemic encephalopathy. Chronic Bronchopneumonia. Blunt impact injury of the torsocontusion of back. Follow-up: seizures, developmental delay - severe.
					"Information has been received regarding a case in litigation concerning a 7-week-old female who on 21-DEC-1994 was vaccinated with a dose of Recombivax HB (manufacturer unspecified). On 21-DEC-1994 the patient experienced sudden infant death syndrome (SIDS). The patient death occurred the same day as her 21-DEC-1994 vaccinated at 7 weeks old, which was reported to be too

0		'	TIC VACCITIC AUV	erse Eveni Reporting System (VAERS) Results Form
0 days	< 6 months	Death	<u>309495-1</u>	quickly to have been the result of a catastrophic auto- immune reaction called cytokine storm as pustulated by the petitioner. Cerebral Edema: ""Reports of cerebral edema following infection of nervous tissue generally are acommpanied by fever and significant symptom development usually requires several days to occur,"" reported the petitioner. Although the patient received Recombivax HB (manufacturer unspecified) on the same day of her death, the physician opined that a cytokine- induced cerebral edema would have required days to manifest."" The cause of death was ruled SIDS by a forensic pathologist in the coroner's office who noted signs associated with SIDS such as ""rare epicardial petechia,"" pulmonary congestion and edema, the petitioner reporter. And her age was within the accepted temporal window for SIDS. Also the child's mother during her pregnancy took the antipsychotic haloperidol, which was said to have been associated with ""sudden and unexpected death."" The reporter felt that sudden infant death syndrome was not related to therapy with Recombivax HB (manufacturer unspecified). Additional information is not expected."
0 days	< 6 months	Death	<u>318120-1</u>	Pt received immunization at approx 10:15 am. Father found unresponsive @ approx 7:15 pm. 8/21/08-cause of death undetermined. pulmonary vascular congestion. petechiae of epicardium.
0 days	< 6 months	Death	<u>326199-1</u>	Infant presented to emergency room with fever approximately 12 hours after vaccinations. Admitted and started on empiric antibiotics. Two days later, lumber puncture attempted with subsequent cardio-respiratory arrests. 4/7/09 Autopsy report states COD as complications of multiple congenital abnormalities & manner of death as natural. Report also states multiple congenital abnormalities of: normal pressure hydrocephalus; patent foramen ovale; VSD; mildly atretic right dominant coronary artery system. Also had UTI w/enterococcus faecalis, sepsis & lobar pneumonia. Tox screen neg.
0 days	< 6 months	Death	<u>329869-1</u>	2 month old died following routine vaccinations. Medical examiner was Dr. 10/28/08 Autopsy report states COD & manner of death as undetermined. 10/28 Autopsy report also states patient found lying on side unresponsive in adult bed 2 hrs s/p laid down for nap. Had fever s/p vaccination & received tylenol. Findings at autopsy included viscous bronchial mucus & chronic cystitis.
				I would like some help to find out if my daughters death was caused by a Vaccine Induced Reaction. This all started on November 13 2008. This is the day the i took my daughter to the clinic. She was supposed to be seen for her 2 month well child exam which she was was not. The primary doctor had only seen her once and this was on her 2 week well child exam. When we went in for her 2 month checkup we had seen a nurse practitioner. The doctor never came into see her not even once on this day nor did the nurse weigh her do any of the measurements of check to make sure that everything was growing normally. She had me sign for 2 vaccines when after all this i found out that she was given for 2 that i didn't know about. We were sent home right after the vaccines were given and told to come back in 4 weeks for more and to expect drowsiness, fussiness, low appetite, not sleeping, irritability, that's what had happened Thursday night. She

_				erse Eveni. Reporting System (VAERS) Results Form
0 days	< 6 months	Death	335226-1	slept most that afternoon and evening with very little to eat. Friday morning she was a little fussier then usual. Later on into the day we had noticed her to be warm to the touch but i had checked and it was normal a few more hours into the night. She developed a fairly high pitched cry and it seemed like she had a belly ache but yet eating very much. She was up about every 30 min during that Friday night and she usually was a really good sleeper through the night. On saturday morning i had gotten up to feed her i made a 6 oz bottle she still had about 2 oz left. When she was finished i burped her changed her she was still really fussy so i laid her down on a u shaped pillow and put her on her belly and i laid down beside her and patted her on her bottom and i fell back asleep next to her and was woke up by her father that had just gotten out of bed and told me to make sure the baby is breathing. I grabbed her and her body was limp but still warm to touch. I held her close to my body and ran across the street to the police station where the ambulance had responded and took us to the hos
0 days	< 6 months	Death	<u>339587-1</u>	A few hours after his well child check up he was not himself. I would describe him as having an extremely decreased and inconsistant response to surroundings, sounds, and family members. My sister who he loved could not get him to smile or focus on her. We did not take him to the doctor because this seemed slightly normal after shots. He did perk up a little the next day, then he seemed like he was coming down with a cold, I could hear and feel congestion in his lungs. 3/20/09 Autopsy report states COD as sudden infant death syndrome. Report states patient placed down for nap in crib on stomach on top of baby blanket. Found cold & unresponsive. Patient's bedroom noted to be very warm on investigation.
0 days	< 6 months	Death	<u>340558-1</u>	Received first set of baby shots, left the pediatrician's office and went to store. Became very fussy. Then in the car on the way home became more fussy before falling asleep. When arrived home, the baby's skin looked off white and the lips were cold and dark colored and the baby was not arousable. Parents took the baby to the ER where they were unable to revive him and he was pronounced dead after about 45 minutes. The baby had previously been to the ER on 12/18/08 for small size and for congestion. Was put on weight gaining formula and given Albuterol breathing treatment and sent home. Autopsy was done and showed 3 healing rib fractures that were old and the pathologist stated the baby had chronic bronchitis, but the cause of death was undetermined. 2/25/09 Autopsy report state COD as sudden unexplaineed death in infant & manner of death as undetermined. 2/25/09 Received ER records of 12/18/2008. FINAL DX: URI w/tachypnea Records reveal patient experienced SOB, nasal congestion, loose stool x 2 days. Seen in PCP office x 2 for same & sent to ER for eval. Resp rate in ER 64, pulse ox 98%. Remainder of exam WNL. Tx w/nebs & resp rate returned to WNL. 2/27/09 Received vaccine records & PCP office records which reveal patient in good health on 1/12/2009. 3/9/09 Received ER medical records of 1/12/2009. FINAL DX: DOA Records reveal patient brought to ER by parent. Patient gray, limp w/no pulse or respirations after having found unresponsive. Resuscitation attempts failed

5		Т	he Vaccine Adv	erse Event Reporting System (VAERS) Results Form
0 days	< 6 months	Death	<u>344595-1</u>	Information has been received from a nurse concerning an 8 week old patient without any pertinent medical history who at approximately 11:00 in the morning of 15-APR-2009 was vaccinated with a 0.5 ml/0.5 mcg dose of RECOMBIVAX HB. Concomitant therapy included a dose of PENTACEL. In the afternoon of 15-APR-2009 the patient was found to be dead. It was reported that the patient sought medical attention before death. Additional information has been requested. 9/4/09 Autopsy Received DOD 4/14/09 - Sudden Infant Death Syndrome. Manner of death natural. Additional information abstracted: Found supine and unresponsive on mattress. Grossly unremarkable 2 month (10 and 3/7th weeks) old male infant. Pulmonary edema. Rare epicardial and pleural and scattered thymic petechia. Simian crease of left palm.
0 days	< 6 months	Death	<u>344796-1</u>	about 12 hours after receiving his vaccinations, he developed poor intake of his feeds, and became limp and unresponsive (CPR was initiated). He did not have any fevers, vomiting, or diarrhea. He was admitted to the PICU and placed on nasal CPAP and oxygen. About 2 days before he died, while on the ventilator he had 2 -3 episodes of seizure like activity but remained stable on the ventilator. on the day of his death he had a sudden drop in his heart rate to 40 and was unresponsive. CPR was performed but were never able to obtain a heart rate or rhythm. There were no signs of seizure before this last event. 5/28/09 autopsy report received DOS 9/18/09. FINAL DIAGNOSIS: I. Complications of Prematurity A. Chronic Lung Disease B. Gliosis, Medullary Nuclei. II. History or Maternal Abruptio Placenta and Delivery by Caesarian Section. CAUSE OF DEATH: Compications of Prematurity. MANNER OF DEATH: Natural.
0 days	< 6 months	Death	<u>350412-1</u>	Sudden Death. 8/12/09 Autopsy records received. CAUSE OF DEATH - SUDDEN UNEXPLAINED INFANT DEATH. Infant found prone with head between the mattress and netting wall of the porta-crib.
0 days	< 6 months	Death	<u>357994-1</u>	Patient had a high fever and screamed most of the time. She wouldn't eat normally and would sleep very little. Her legs were hot and red and had big swollen bumps on them where she got the vaccines. She was lethargic a lot of the time and not responding like she normally did. She did this for the whole 10 after she got the vaccines. 9/24/09 Autopsy report received DOD 7/17/09 - Sudden Unexplained Infant Death. Anatomic findings noted: Pleural petechia, pulmonary edema and congestion, generalized visceral congestion, sunken anterior fontanelle, mild to moderate tracheitis. Infant reportedly fell off of bed 7/15/09.
0 days	< 6 months	Death	<u>369139-1</u>	Death - cause of death not confirmed by medical examiner.
0 days	< 6 months	Death	<u>381726-1</u>	Found dead at home per dad in phone call. No ER note available yet.
0 days	< 6 months	Death	<u>384071-1</u>	No symptons,or signs prior to child not breathing. Child taken to ER and CPR was implemented.
0 days	< 6 months	Death	<u>387614-1</u>	According to parents the baby was found not breathing in bed. Taken to ER. Died before reaching the ER.
0 days	< 6 months	Death	<u>412768-1</u>	Patient started getting sick around 9 hours after receiving the vaccine. Patient had never been sick before, not even a cold. Her symptoms included fever, diarrhea, loss of appetite & not sleeping very well.

III nave	< 6 months	Death	<u>427623-1</u>	Nothing major just fussy, no temperature. She ate somewhat normal, was a little fussy at the breast at times. Didn't want to be put down.
0 days	< 6 months	Death	429366-1	"Patient's legs immediately began to swell, much larger than I had seen swell in his older sister. The nurse advised me to administer ibuprofen when we got home. From the time of vaccination, patient screamed a very high pitched scream from 2:00 PM 3/5/07 until midnight10 hours straight. He flinched at the slightest touch and pain was evident. I called my doctor's office at approximately 3:30, and the nurse told me to administer more ibuprofen and rub the sites where he received vaccination. I did not administer more ibuprofen as I was uncomfortable with giving him another dose, but I did rub his legs which proved to be completely excruciating for him to endure. I called my doctor's office again at 5:00, but the office was closed so I called a ""Call A Nurse"" from the hospital. She suggested a myriad of ridiculous suggestions from teething to gas. I tried to nurse him several times but he would not nurse and his screams of pain would turn into gasps for air if I touched him. At one point, I laid him on the floor and leaned over the top of him to try and nurse him. He suckled for under a minute and continued crying. He did not sleep or eat for 10 hours. At approximately midnight it seemed like he began to have trouble breathing. Strangely enough, it seemed that this calmed him down, and within a minute his breathing became regular and he fell asleep. I called the ""Ask A Nurse" again and talked to a gentleman that said I let him sleep if he's sleeping and bring him in to the doctor again the following day. Patient slept for 15-30 minutes at a time during the night, waking up often screaming a scream I had never heard from him before. In the morning, I called the doctor's office and talked to the nurse. I told her what had happened since I talk to her last and she said ""That sort of reaction happens often. It might be the Pertussis part of the vaccine because it often gives people trouble. We'll give him his next round of shots in a couple months, and if this reaction happens again we'll consider taking o
U dave	< 6 months	Death	439082-1	None stated.
U dave	< 6 months	Death	448732-1	Lazy, limp, screaming, inconsolable, couldn't hold himself up on his legs, hung his head and could hold it up for a few seconds like he could before, wouldn't eat much, tried but cried instead.

			TIE VACCITIE AUV	erse Event reporting System (VAERS) Results Form
0 days	< 6 months	Death	<u>458350-1</u>	Family noticed baby was blue and called 911. Baby was coded and pronounced at approx 1755. At this time I do not have exact times.
0 days	< 6 months	Death	<u>464200-1</u>	Cough, fussiness, fever, persistent crying, lack of appetite, cough, constipation, death.
0 days	< 6 months	Death	<u>475000-1</u>	Pt. was taken to the hospital for sx's of high fever. Seen by resident.
0 days	< 6 months	Death	<u>491893-1</u>	Immediately after the vaccines, the child looked pale and blood like foam came in the mouth. The child pooped too. The doctor came & stated after checking his mouth that he is normal and it is due to immunization. The following information was obtained through follow-up and/or provided by the government. 5/17/2013 autopsy report received for DoD 4/20/2013. COD: ARDS. Pt vomited, went limp. Taken to hospital, pronounced dead. Pathologic Dx's: 1) ARDS; 2) premature birth w/ respiratory distress. 5/17/2013 hospital records received for DOS 4/19/2013. Assessment: unresponsive. Pt lethargic, EMS activated. Transported to ER, arrived unconscious & unresponsive, CPR in progress. No pulse, no RR, no BP. Resuscitation efforts unsuccessful. Death pronounced 32 min s/p arrival.
0 days	< 6 months	Death	<u>498463-1</u>	?SIDS/SUIDS. Death cert. not yet avail. For autopsy report, contact Medical Examiner or HCP.
0 days	< 6 months	Death	<u>506338-1</u>	She started to have a fever of 100.4 about 3:00 PM on 09/16/2013. I gave her Tylenol to lower the temperature. She continued to have a fever off and on for the night and following day. About 6:30 AM on 09/17/2013, she had diarrhea that leaked out of her diaper down her left leg onto her foot. On the morning of 09/18/2013, she was cranky and fussy. I was unable to calm her. She even refused her pacifier that she loved. About 11:00 AM, she was found on her back without a pulse and not breathing. She was pronounced dead at the hospital later that day.
0 days	< 6 months	Death	<u>537166-1</u>	Pt was found unresponsive and not breathing by mother approximately 6 hours after receiving vaccinations. Pt was transferred to hospital at 5:30pm via ambulance and was expired at 6:20pm. Unknown at this time cause of death.
0 days	< 6 months	Death	<u>549727-1</u>	Pt was found unresponsive at home by family taken to ER and pronounced dead. Autopsy report not available at this time.

Note: Submission of a VAERS report does not constitute admission that healthcare personnel or the vaccine caused or contributed to the event.

Notes:

Caveats:

Some items may have more than 1 occurrence in any single event report, such as Symptoms, Vaccine Products, Manufacturers and Event Categories. If data are grouped by any of these items, then the number in the Events Reported column may exceed the total number of unique events. If percentages are shown, then the associated percentage of total unique event reports will exceed 100% in such cases. For example, the number of Symptoms mentioned is likely to exceed the number of events reported, because many reports include more than 1 Symptom. When more then 1 Symptom occurs in a single report, then the percentage of Symptoms to unique events is more than 100%. More information.

DISCLAIMER: Please note that VAERS staff follow-up on all serious and other selected adverse event reports to obtain additional medical, laboratory, and/or autopsy records to help understand the health concern raised. However, in general, coding terms in VAERS do not change based on the information received during the follow-up process. VAERS data on WONDER should be used with caution as

numbers and conditions do not reflect data collected during follow-up. Note that information included in the VAERS data does not mean that the vaccine caused the adverse event. Review cautions in the interpretation of this data: More information.

Data contains VAERS reports processed as of 12/14/2014. The VAERS data in WONDER are updated monthly, yet the VAERS system receives continuous updates including revisions and new reports for preceding time periods. <u>More information.</u>

Help: See The Vaccine Adverse Event Reporting System (VAERS) Documentation for

more information.

Query Date: Feb 5, 2015 11:53:08 AM

Suggested Citation:

United States Department of Health and Human Services (DHHS), Public Health Service (PHS), Centers for Disease Control (CDC) / Food and Drug Administration (FDA), Vaccine Adverse Event Reporting System (VAERS) 1990 - last month, CDC WONDER On-line Database Accessed at http://wonder.cdc.gov/vaers.html on Feb 5, 2015 11:53:08 AM

Query Criteria:

Title:

Adverse Event Description: All Adverse Events After Prior Vaccinations: All

Age: < 6 months

Current Illness: All

Date Died:All, Before 1980 to Dec., 2014Date of Onset:All, Before 1980 to Dec., 2014Date Report Completed:All, Before 1990 to Dec., 2014Date Report Received:All, Jul., 1990 to Dec., 2014Date Vaccinated:All, Before 1980 to Dec., 2014

Event Category: Death

Gender: ΑII ΑII **Grantee: History:** ΑII ΑII Lab Data: **Medications At Time Of Vaccination:** ΑII Mfr/Imm Project Number: ΑII **Onset Interval:** 0 days Recovered: ΑII Serious: ΑII

State / Territory: The United States, Territories, and Unknown

Symptoms: ΑII Vaccine Administered By: ΑII Vaccine Dose: ΑII Vaccine Lot: ΑII Vaccine Manufacturer: ΑII **Vaccine Products:** ΑII Vaccine Purchased By: ΑII **VAERS ID:** ΑII

Group By: Onset Interval, Age, Event Category, VAERS ID

Show Totals: False **Show Zero Values:** False